

ADDENDUM No. 2

The attached Addendum No. 2 for the Klickitat County “Security Surveillance System Upgrade for the County Jail & Court House” posted January 11, 2018, recognizes the Cover Sheet, Index page 2, and General Instructions page 7 2.6-1 of the Proposal provides incorrect information for the RFP.

Please remove the cover sheet, page 2, and page 7. Replace them with the attached new cover sheet, page 2, page 7, and Bid Pricing Proposal sheet with the extended RFP Opening date.

A voluntary pre-bid meeting and walk through shall be January 24, 2018 at 11:00 a.m. starting at the Klickitat County Court House main entrance located at 205 South Columbus Goldendale, WA 98620 and continuing through the jail.

A time extension for the RFP due date is extended to February 14, 2018 to allow interested parties time to schedule for the pre-bid walk through and time to put their RFP proposals together.

Section VII-Declaration and Signature Page of the RFP has the acknowledgement of Addendum(s) line to check off any Addendum's added.

Closing Date for Submittal of Proposals should read as follows:

Four copies of the proposal must be received no later than 2:00 P.M. on February 14, 2018 at which time proposals will be opened and evaluated by the County.

If you have any questions please forward to:

Ken Templeton
Klickitat County Public Works Department
228 W. Main, MS-CH 19
Goldendale, WA 98620
E-mail: kennethht@klickitatcounty.org
Phone: 509 773-2479



Klickitat County

Security Surveillance System Upgrade for the County Jail & Courthouse Scope of Work (SOW)

Prepared for

**Ken Templeton
Klickitat County
Public Works
228 West Main, MS-CH 19
Goldendale, WA 98620**

January 3, 2018

Prepared By
**Electronic Security Consultants, LLC
5200 SW Meadows Rd, Ste 150
Lake Oswego, OR 97035**



TABLE OF CONTENTS

| | | |
|------|--|----|
| 1. | RFP INTRODUCTION AND BACKGROUND..... | 3 |
| 1.1 | About the Project..... | 3 |
| 1.2 | Background | 3 |
| 2. | SCOPE OF WORK (SOW)..... | 4 |
| 2.1 | Video Management System Upgrade Overview | 4 |
| 2.2 | VMS Installation, Configuration, and Considerations | 4 |
| 2.3 | VMS Integration with Security Access Control System (ACS)..... | 6 |
| 2.4 | Video Monitoring Upgrade in the Jail Control Room..... | 6 |
| 2.5 | Video Monitoring Upgrade in County Clerk's Office..... | 6 |
| 2.6 | General Instructions | 7 |
| 2.7 | Material Requirements | 7 |
| 2.8 | Documentation Contractor to Provide..... | 9 |
| 2.9 | Contractor Warranty Requirements | 9 |
| 2.10 | Contractor Requirements & Responsibilities..... | 9 |
| 2.11 | Schedule of Work..... | 11 |
| 2.12 | Additional Scope of Work Instructions..... | 11 |
| 3. | VMS SYSTEM SPECIFICATION & FUNCTION..... | 12 |
| 3.1 | Video Management (VMS) Specifications and Functions..... | 13 |
| 4. | SYSTEM ACCEPTANCE AND ADDITIONAL CONDITIONS | 21 |
| 4.1 | Performance, Testing, and Material Standards | 21 |
| 4.2 | Acceptance Process..... | 21 |
| 4.3 | Design Changes and Substitutions | 21 |
| 4.4 | Rights to Documentation..... | 21 |
| 5. | PROPOSAL SUBMITTAL & BIDDER EVALUATION..... | 22 |
| 5.1 | Proposals & Bid Responses | 22 |
| 5.2 | Proposal Evaluation Criteria | 23 |
| 6. | APPENDIX..... | 24 |

CONCEPT FLOOR PLAN DRAWINGS WITH EQUIPMENT LOCATIONS WILL BE AVAILABLE AT VOLUNTARY PRE-BID CONFERENCE

Wall Mount Monitor) & video appliance (S2-MMB) as listed in the "VMS MANAGEMENT & MONITORING EQUIPMENT SPECIFICATIONS" in the Appendix, will be installed in the Clerk's office for monitoring Camera #38.

2.6 General Instructions

1. Contractor shall refer to concept drawings provided at voluntary pre-bid meeting for additional information relating to the scope of work and description of equipment placement. Contractor shall carefully review the drawings along with the specifications in order to prepare an accurate bid price. Contractor is responsible for providing accurate material quantities based on the drawings and shall not solely rely on the RFP narrative in determining the quantity or type of products required.
2. Any cabling required to support the new VMS will be provided & installed by the Contractor.
3. Core drilling for cable runs will only be conducted afterhours on approval by the County's Project Mgr.
4. Cable runs above the hard ceilings in the Jail will typically be permitted without the use of conduit by the County's Project Mgr, however Plenum rated cable will be utilized in these areas.
5. On roofs of the Courthouse & Jail, 3/4" conduit will be required for cable distribution to cameras utilizing outdoor rated cable, unless otherwise directed by the County's Project Mgr.
6. Contractor is responsible for properly recycling or disposing of the outdated VMS related equipment & cabling it removes & replaces.
7. All new VMS cable must be color coded as approved by the County's Information Technology (IT) Department.
8. Basic LAN UPS equipment, if needed, will be provided by the County's Information Technology (IT) Department.
9. Contractor will provide new PoE Switches & Routers as required for new cameras & video monitoring equipment. The PoE Switches & Routers will be of a type pre-approved by the County.
10. Circuit protection will be provided for all VMS system equipment. Lightning and surge protection will be provided for all VMS equipment susceptible to such conditions.
11. Contractor will provide all required VMS base management software and component licensing (i.e. camera licenses & recording server licenses) plus a 2-year software support agreement (SUP) for new VMS system software that will start at the end of the 1st year of MFG software support.
12. The Warranty period for new ACS and its components will be as provided by the Manufacturer but not less than 1-year.
13. Contractor will provide a separate pricing option to cable 14 Network data drops within the Jail with two (2) CAT6 cables each from the new Jail 1st floor Data Room to each drop. Each of the 14 Network data drop locations are indicated on the drawings.

2.7 Material Requirements

This section provides additional technical specifications for the installation of the new VMS. These specifications are to be reviewed in conjunction with the concept drawings obtained at the pre-bid meeting.

Contractor will:

1. Provide and install all materials and products per manufacturer's specifications.
2. Where test standards exist, all electronic products furnished by the contractor for construction shall be UL listed by a national recognized testing agency to meet the requirements of the State of Washington Electrical Code. All material, products, and components furnished by the contractor shall be manufactured, assembled, installed, and tested in accordance with the current industry standards.
3. Procedure for Installing Data Cables:
The following shall be considered with all projects involving the installation of data & phone cables within County facilities. Adherence to these points will minimize the impact to county employees and the

BID PRICING PROPOSAL

Security Surveillance System Upgrade, Solicitation for Klickitat County

RFP OPENING: 2:00 P.M. February 14, 2018 _____

FAILURE TO SUBMIT THIS FORM IN RFP PROPOSAL PACKET WILL RESULT IN A NON-RESPONSIVE BID

INSTRUCTIONS:

1. The following Unit Price Proposal (Bid Schedule(s) for RFP Proposal) is submitted with the specific understanding that the bid is balanced, that the quantities herein estimated are approximate, for use in comparing bids only and may either be increased or decreased in the final payment and that final payment shall be based upon the actual calculated quantities of work done.
2. Bidder represents that this bid is made solely on behalf of the person or firm submitting same and not for an undisclosed principal or in collusion with any person, firm or corporation qualified to make a bid for the same work, and that all representations as to price, quantity, and times for completion are made in good faith without intent to deceive.
3. Bidder must bid all items listed on the Bid Proposal including Alternates to be considered responsive. In case of mistakes in extension of prices, unit prices shall govern. Klickitat County reserves the discretion to award the base work with any or all alternates.
4. **Bidder must attach to this Bid Proposal a breakdown of primary equipment and quantities to be installed.**

| RFP PROPOSAL - Allocated Installed System Pricing | | |
|---|-----------------------|---------------------|
| <p><i>Brand name(s) of the Video Management System that you are proposing:</i></p> <p><i>VMS:</i></p> | | |
| <p><i>State Initial Warranty Period of Proposed Equipment & Software:</i></p> <p><i>VMS:</i></p> | | |
| | | |
| <i>System Pricing</i> | <i>Pricing</i> | <i>Notes</i> |
| VMS System Pricing with Cameras #1-20 installed. | \$ | |
| VMS Software Support for 2-years (after 1st YR) | \$ | |
| Add fourteen (14) Cat-6 cabled Dual LAN Drops (Optional) | \$ | |
| | | |
| | | |
| Total System Installed Price | \$ | |